### The future in this course.

What's to come? Probability.

A bag contains:



What is the chance that a ball taken from the bag is blue? Count blue. Count total. Divide.

Today: Counting!

## Count?

How many outcomes possible for *k* coin tosses? How many poker hands? How many handshakes for *n* people? How many diagonals in a *n* sided convex polygon? How many 10 digit numbers? How many 10 digit numbers without repetition?

How many ways can I divide up 5 dollars among 3 people?


#### Outline: basics

- 1. Counting.
- 2. Tree
- 3. Rules of Counting
- Sample with/without replacement where order does/doesn't matter.

## Using a tree..

How many 3-bit strings? How many different sequences of three bits from  $\{0,1\}$ ? How would you make one sequence?

How many different ways to do that making?




8 leaves which is  $2 \times 2 \times 2$ . One leaf for each string. 8 3-bit srings!

Probability is soon..but first let's count.

# First Rule of Counting: Product Rule

Objects made by choosing from  $n_1$ , then  $n_2$ , ..., then  $n_k$  the number of objects is  $n_1 \times n_2 \cdots \times n_k$ .



In picture,  $2 \times 2 \times 3 = 12!$ 

### Using the first rule..

```
How many outcomes possible for k coin tosses?
```

2 ways for first choice, 2 ways for second choice, ...

 $2 \times 2 \cdots \times 2 = 2^k$ 

How many 10 digit numbers?

10 ways for first choice, 10 ways for second choice, ...

 $10\times10\cdots\times10=10^k$ 

How many n digit base m numbers?

m ways for first, m ways for second, ...

(Is 09, a two digit number?)

If no. Then  $(m-1)m^{n-1}$ .

### One-to-One Functions.

How many one-to-one functions from |S| to |S|.

|S| choices for  $f(s_1)$ , |S| - 1 choices for  $f(s_2)$ , ...

So total number is  $|S| \times |S| - 1 \cdots 1 = |S|!$ 

A one-to-one function is a permutation!

### Functions, polynomials.

How many functions *f* mapping *S* to *T*?

|T| ways to choose for  $f(s_1)$ , |T| ways to choose for  $f(s_2)$ , ...

.... $|T|^{|S|}$ 

How many polynomials of degree d modulo p?

p ways to choose for first coefficient, p ways for second, ...

p values for first point, p values for second, ...

Questions?

## Counting sets..when order doesn't matter.

How many poker hands?

 $52 \times 51 \times 50 \times 49 \times 48$  ???

Can write as...

Are A, K, Q, 10, J of spades

and 10, J, Q, K, A of spades the same?

**Second Rule of Counting:** If order doesn't matter count ordered objects and then divide by number of orderings.<sup>2</sup>

Number of orderings for a poker hand: "5!"

(The "!" means factorial, not Exclamation.)

 $52\times51\times50\times49\times48$ 

5!

 $\frac{52!}{5! \times 47!}$ 

Generic: ways to choose 5 out of 52 possibilities.

#### Permutations.

How many 10 digit numbers without repeating a digit?

10 ways for first, 9 ways for second, 8 ways for third, ...

... 
$$10*9*8\cdots*1=10!$$
.

How many different samples of size k from n numbers without replacement.

n ways for first choice, n-1 ways for second,

n-2 choices for third, ...

... 
$$n*(n-1)*(n-2)*(n-k+1) = \frac{n!}{(n-k)!}$$
.

How many orderings of n objects are there? **Permutations of** n **objects.** 


n ways for first, n-1 ways for second,

n-2 ways for third, ...

... 
$$n*(n-1)*(n-2)\cdot *1 = n!$$
.

### Ordered to unordered.

**Second Rule of Counting:** If order doesn't matter count ordered objects and then divide by number of orderings.



How many red nodes (ordered objects)? 9.

How many red nodes mapped to one blue node? 3.

How many blue nodes (unordered objects)?  $\frac{9}{2} = 3$ .

How many poker deals?  $52 \cdot 51 \cdot 50 \cdot 49 \cdot 48$ .

How many poker deals per hand? Map each deal to ordered deal: 5!

How many poker hands?  $\frac{52.51.50.49.48}{5!}$ 

Questions?

<sup>&</sup>lt;sup>2</sup>When each unordered object corresponds equal numbers of ordered objects.

<sup>&</sup>lt;sup>1</sup>By definition: 0! = 1.

#### ..order doesn't matter.

Choose 2 out of n?

$$\frac{n\times(n-1)}{2}=\frac{n!}{(n-2)!\times 2}$$

Choose 3 out of n?

$$\frac{n\times(n-1)\times(n-2)}{3!}=\frac{n!}{(n-3)!\times 3!}$$

Choose k out of n?

$$\frac{n!}{(n-k)!\times k!}$$

Notation:  $\binom{n}{k}$  and pronounced "n choose k."

Familiar? Questions?

#### Some Practice.

How many orderings of letters of CAT?

3 ways to choose first letter, 2 ways for second, 1 for last.

$$\implies$$
 3 × 2 × 1 = 3! orderings

How many orderings of the letters in ANAGRAM?

Ordered, except for A!

total orderings of 7 letters. 7!

total "extra counts" or orderings of three A's? 3!

Total orderings?  $\frac{7!}{3!}$ 

How many orderings of MISSISSIPPI?


- 4 S's, 4 l's, 2 P's.
- 11 letters total.
- 11! ordered objects.

4! × 4! × 2! ordered objects per "unordered object"

$$\implies \frac{11!}{4!4!2!}$$

### Example: Visualize the proof..

First rule:  $n_1 \times n_2 \cdots \times n_3$ . Product Rule. Second rule: when order doesn't matter divide...



3 card Poker deals:  $52 \times 51 \times 50 = \frac{52!}{40!}$ . First rule.

Poker hands:  $\Delta$ ? Hand: Q.K.A.

Deals: Q, K, A: Q, A, K: K, A, Q: K, A, Q: A, K, Q: A, Q, K.

 $\Delta = 3 \times 2 \times 1$  First rule again. Total: 52! Second Rule!

Choose k out of n.

Ordered set:  $\frac{n!}{(n-k)!}$  Orderings of one hand? k! (By first rule!)

 $\implies$  Total:  $\frac{n!}{(n-k)!k!}$  Second rule.

## Sampling...

Sample *k* items out of *n* 

Without replacement:

Order matters:  $n \times n - 1 \times n - 2 \dots \times n - k + 1 = \frac{n!}{(n-k)!}$ 

Order does not matter:

Second Rule: divide by number of orders - "k!"

 $\implies \frac{n!}{(n-k)!k!}$ . "n choose k"

With Replacement.

Order matters:  $n \times n \times ... n = n^k$ 

Order does not matter: Second rule ???

Problem: depends on how many of each item we chose!


Different number of unordered elts map to each unordered elt.

Unordered elt: 1,2,3 3! ordered elts map to it. Unordered elt: 1,2,2  $\frac{3!}{2!}$  ordered elts map to it.

How do we deal with this mess??

### Example: Anagram

First rule:  $n_1 \times n_2 \cdots \times n_3$ . Product Rule. Second rule: when order doesn't matter divide...



Orderings of ANAGRAM?

Ordered Set: 7! First rule.

A's are the same! What is  $\Delta$ ?

**ANAGRAM** 

 $\Rightarrow \frac{7!}{3!}$  Second rule!

## Splitting up some money....

How many ways can Bob and Alice split 5 dollars?

For each of 5 dollars pick Bob or Alice(2<sup>5</sup>), divide out order ???

5 dollars for Bob and 0 for Alice: one ordered set: (B, B, B, B, B).

4 for Bob and 1 for Alice:


5 ordered sets: (A, B, B, B, B); (B, A, B, B, B); ...

"Sorted" way to specify, first Alice's dollars, then Bob's.

(*B*, *B*, *B*, *B*, *B*): 1: (B,B,B,B,B)

(A, B, B, B, B): 5: (A,B,B,B,B),(B,A,B,B,B),(B,B,A,B,B),...

(A, A, B, B, B):  $\binom{5}{2}$ ; (A, A, B, B, B), (A, B, A, B, B), (A, B, B, A, B),...





## Splitting 5 dollars..

How many ways can Alice, Bob, and Eve split 5 dollars.

Alice gets 3, Bob gets 1, Eve gets 1: (A, A, A, B, E).

Separate Alice's dollars from Bob's and then Bob's from Eve's.

Five dollars are five stars: \*\*\*\*.

Alice: 2, Bob: 1, Eve: 2. Stars and Bars:  $\star\star |\star|\star\star\star$ . Alice: 0, Bob: 1, Eve: 4. Stars and Bars:  $|\star|\star\star\star\star$ .

Each split "is" a sequence of stars and bars. Each sequence of stars and bars "is" a split.

Counting Rule: if there is a one-to-one mapping between two sets they have the same size!

### Summary.

First rule:  $n_1 \times n_2 \cdots \times n_3$ .

k Samples with replacement from n items:  $n^k$ .

Sample without replacement:  $\frac{n!}{(n-k)!}$ 

Second rule: when order doesn't matter (sometimes) can divide...  $% \label{eq:condition}%$ 

Sample without replacement and order doesn't matter:  $\binom{n}{k} = \frac{n!}{(n-k)!k!}$ . "n choose k"

One-to-one rule: equal in number if one-to-one correspondence. pause Bijection!

Sample k times from n objects with replacement and order doesn't matter:  $\binom{k+n-1}{n-1}$ .

#### Stars and Bars.

How many different 5 star and 2 bar diagrams?

| \* | \* \* \* \*.

7 positions in which to place the 2 bars.

-----

Alice: 0; Bob 1; Eve: 4

Bars in first and third position.

Alice: 1; Bob 4; Eve: 0

\* | \* \* \* \* |.

Bars in second and seventh position.

 $\binom{7}{2}$  ways to do so and

 $\binom{7}{2}$  ways to split 5 dollars among 3 people.

## Quick review of the basics.

First rule:  $n_1 \times n_2 \cdots \times n_3$ .

k Samples with replacement from n items:  $n^k$ .

Sample without replacement:  $\frac{n!}{(n-k)!}$ 

Second rule: when order doesn't matter divide..when possible.

Sample without replacement and order doesn't matter:  $\binom{n}{k} = \frac{n!}{(n-k)!k!}$ .

One-to-one rule: equal in number if one-to-one correspondence.

Sample with replacement and order doesn't matter:  $\binom{k+n-1}{n-1}$ .

## Stars and Bars.

Ways to add up *n* numbers to sum to *k*? or

" k from n with replacement where order doesn't matter." In general, k stars n-1 bars.

n+k-1 positions from which to choose n-1 bar positions.

$$\binom{n+k-1}{n-1}$$

Or: k unordered choices from set of n possibilities with replacement. Sample with replacement where order doesn't matter.